


GUILFORD OF MAINE ANCHORAGE FABRIC TECHNICAL DATA SHEET



DESCRIPTION

Our Guilford of Maine Anchorage Acoustic Fabric is a fabric used to wrap an acoustical substrate or other absorptive material. The Anchorage series offers a tight crepe weave of vibrant, saturated colors for expressive and vivacious hues.

The designer fabric's texture provides a clean and beautiful finish for your project.

FEATURES

- Acoustical panel fabric
- Cleanable with water based cleaning agents

TECHNICAL CHARACTERISTICS

SIZE: 66" wide x 36" yard

MATERIALS: 35% Post-consumer polyester
65% Pre-consumer polyester

Weight: 15.0 +/- 1.0 oz./ linear yard

Repeat: None

Fire Rating: Class 1 or A per ASTM E84

Breaking Strength: 275 lbf min. warp and fill
(ASTM D5034)

Tear: 35 lbf min. warp fill
(ASTM D2261)

Colorfastness to light (AATCC 16 Option 3):
Grade 4 min at 40 hours

Colorfastness to crocking (AATCC 8):
Grade 4 min. dry & Grade 3 min. wet

Colors may vary between dye lots.

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.

