

Guilford of Maine Coastline Fabric



DESCRIPTION

The Guilford of Maine Coastline Acoustic Fabric is used to wrap an acoustical substrate or other absorptive material, and the fabric's texture provides a clean and beautiful finish for your project.

FEATURES

- Acoustical panel fabric
- Cleanable with water based cleaning agents

TECHNICAL CHARACTERISTICS

SIZE:	66" wide x 36" yard
MATERIALS	34% post and 66% pre-consumer recycled polyester
Weight:	12.2 ± 1.0 oz./linear yard
Repeat:	16" vertical, 16.6" horizontal
Fire Rating:	Class 1 or A per ASTM E 84
Breaking Strength:	220 lbf min. warp and 100 lbf min fill (ASTM D5034)
Tear:	25 lbf min. warp and 18 lbf fill (ASTM D2261)
Colorfastness to light (AATCC 16 Option 3):	Grade 4 min at 40 hours
Colorfastness to crocking (AATCC 8):	Grade 4 min. dry & Grade 3 min. wet

Colors may vary between dye lots.

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.

