

For every environment of your life.

2420 Grenoble Road Richmond, VA 23294

Toll Free: 800-782-5742











Guilford of Maine Reeds Fabric



DESCRIPTION

The Guilford of Maine Reeds Acoustic Fabric is used to wrap an acoustical substrate or other absorptive material, and the fabric's texture provides a clean and beautiful finish for your project.

FEATURES

- Acoustical panel fabric
- Cleanable with water based cleaning agents

TECHNICAL CHARACTERISTICS

SIZE: 66" wide x 36" yard

MATERIALS 74% post and 26% pre-consumer

recycled polyester

Weight: 11.6 ± 1.0 oz./linear yard

Repeat: 12.5" vertical, 16.9" horizontal

Fire Rating: Class 1 or A per ASTM E 84

Breaking Strength: 250 lbf min. warp and 150 lbf

min fill (ASTM D5034)

Tear: 20 lbf min. warp and fill

(ASTM D2261)

Colorfastness to light (AATCC 16 Option 3): Grade 4 min at 40 hours

Colorfastness to crocking (AATCC 8): Grade 4 min. dry & Grade 3 min. wet

Colors may vary between dye lots.

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.

Acoustical Performance for Panel Applications (ISO 10534-2)



