

GUILFORD OF MAINE PURSUIT FABRIC TECHNICAL DATA SHEET



DESCRIPTION

Our Guilford of Maine Parameter Fabric is used to wrap an acoustical substrate or other absorptive material. The Parameter series offers a tightly interlocking pattern for your project.

FEATURES

- Acoustical panel fabric
- Cleanable with water based cleaning agents

TECHNICAL CHARACTERISTICS

SIZE: 66" wide x 36" yard

MATERIALS: 100% Pre-consumer recycled polyester

Weight: 9.1 +/- 0.5 oz. / linear yard

Repeat: none

Fire Rating: Class 1 or A per ASTM E84

Breaking Strength: 125 lbf min. warp and
100 lbf min. fill (ASTM D5034)

Colorfastness to light (AATCC 16 Option 3):
Grade 4 min at 40 hours

Colorfastness to crocking (AATCC 8):
Grade 4 min. dry & Grade 3 min. wet

Colors may vary between dye lots.

Acoustical Performance for Panel Applications
(ISO 10534-2)

