



SPECIFICATIONS

2420 Grenoble Road
Richmond, VA 23294
Tel. 800-782-5742

ALPHAFLEX™ CEILING BANNERS

AlphaFlex™ Ceiling Banners

Part I: General

1.1 Work Included:

The work consists of furnishing all labor, materials, accessories and equipment necessary to cover all areas shown on the drawings and specified herein with AlphaFlex ceiling banners.

1.2 Deliveries and Storage:

Store this product in unopened cartons in a clean, cool, dry interior space. Cartons and product must be protected against marring, water, dirt or damage during delivery and storage.

Part II: Product

2.1 Products and Manufacturer:

Acoustical Solutions
2420 Grenoble Road
Richmond, VA 23294
(p) 800-782-5742
(f) 804-346-8808

2.1.1 Geometric Shape: rectangular

2.1.2 Size & Thickness: _____

(2" thick) (4' x custom length x thickness)

2.1.3 Core: 3/4# fiberglass

2.1.4 Surface Finish: _____

(PVC perforated one side) (PVC solid both sides)

2.1.5 Color: To be selected by architect from manufacturer's standard selection

2.1.6 Edge Shape: natural

2.1.7 Edge Construction: _____

(heat-sealed) (sewn)

2.1.8 Acoustical Performance:

1.0 N.R.C. 1.00

2.1.9 Incombustibility: Class "A"

2.1.10 Suspension Provision: _____

(grommets) (wooden stays - stiffeners)

Part III: Execution

3.1 Installation

3.1.1 AlphaFlex™ ceiling banners shall be located and spaced as detailed on reflected ceiling plans and/or detailed on the interior elevation drawings and as indicated on room finish schedule.

3.1.2 Suspend Panels From: _____

(existing construction) (cable)

(fasteners [type])

3.1.3 Attachment Method: _____

(heavy-duty plastic tie) (coated wire tie) (beam clamps) (washer plates) (cable)

3.1.4 Workmanship

All work shall be completed in a workman like manner. All panels shall be properly installed and left in a clean, sanitary condition. Contractor shall remove and dispose of shipping containers and debris.