



## Safety Data Sheet

### Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

**Product Name** • **Green Glue Noiseproofing Compound**

**Synonyms** • Green Glue; Green Glue Compound

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified use(s)** • Acoustic damping polymer for use between wall board layers or other similar firm construction materials for noiseproofing.

**Use(s) advised against** • This product is not a structural adhesive and it is not to be used outdoors.

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer** • Saint-Gobain Performance Plastics & The Green Glue Company  
One Sealants Park Granville,  
NY 12832  
United States

**Telephone (General)** • 518-642-2200 - 8:00am – 4:30pm

#### 1.4 Emergency telephone number

**Manufacturer** • 518-642-2200 - 8:00am – 4:30pm

**Manufacturer** • 800-424-9300 - ChemTrec

### Section 2: Hazards Identification

#### EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

#### 2.1 Classification of the substance or mixture

**CLP** • Not classified

**DSD/DPD** • Not classified

#### 2.2 Label Elements

**CLP**

**Hazard statements** • No label element(s) required

**DSD/DPD**

**Risk phrases** • No label element(s) required

## 2.3 Other Hazards

- CLP**
- According to Regulation (EC) No. 1272/2008 (CLP) this material is not considered hazardous.
- DSD/DPD**
- According to European Directive 1999/45/EC this preparation is not considered dangerous.

## United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

### 2.1 Classification of the substance or mixture

- OSHA HCS 2012**
- Not classified

### 2.2 Label elements

- OSHA HCS 2012**
- Hazard statements**
- No label element(s) required

### 2.3 Other hazards

- OSHA HCS 2012**
- This product is not considered hazardous under the U.S. OSHA 29 CFR 1910.1200 Hazard Communication Standard.

## Canada

According to: WHMIS

### 2.1 Classification of the substance or mixture

- WHMIS**
- Not classified

### 2.2 Label elements

- WHMIS**
- No label element(s) required.

### 2.3 Other hazards

- WHMIS**
- In Canada, the product mentioned above is not considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

## Section 3 - Composition/Information on Ingredients

### 3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

### 3.2 Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Vinyl Acrylic Polymer	NDA	< 48%	NDA	EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified
				EU DSD/DPD: Annex VI, Table 3.2: Xn R65 R66

Proprietary	Proprietary	0.03% TO 1.4%	NDA	EU CLP: Annex VI, Table 3.1: Asp. Tox. 1, H304; EUH066 OSHA HCS 2012: Flam. Liq. 4; Asp. Tox. 1; STOT SE 3: Narc.
Proprietary	Proprietary	0.004% TO 0.28%	NDA	EU DSD/DPD: Xn R22 Xi R41 EU CLP: Acute Tox. 4, H302; Eye Dam. 1, H318 OSHA HCS 2012: Acute Tox. 4 (oral); Eye Dam. 1
Acetic acid, vinyl ester	CAS:108-05-4 EC Number:203-545-4 EU Index:607-023-00-0	< 0.2%	Ingestion/Oral-Rat LD50 • 2900 mg/kg Inhalation-Rabbit LC50 • 2500 ppm 4 Hour(s) Skin-Rabbit LD50 • 2335 mg/kg	EU DSD/DPD: Annex VI, Table 3.2: F R11 Carc. Cat. 3 R40 Xn R20 Xi R37 EU CLP: Annex VI, Table 3.1: Flam. Liq. 2, H225; Carc. 2, H351; Acute Tox. 4, H332; STOT SE 3: Resp. Irrit., H335 OSHA HCS 2012: Flam. Liq. 2; Carc. 2; STOT SE 3: Narc.
Proprietary	Proprietary	< 0.115%	Ingestion/Oral-Rat LD50 • 350 mg/kg	EU DSD/DPD: Annex VI, Table 3.2: C R34 N R50 EU CLP: Annex VI, Table 3.1: Skin Corr. 1B, H314; Aquatic Acute 1, H400 OSHA HCS 2012: Acute Tox. 3 (oral), Eye Dam. 1; Skin Corr. 1C; STOT SE 3: Resp. Irrit.
Proprietary	Proprietary	< 0.105%	NDA	EU DSD/DPD: Xi R38 R41 EU CLP: Skin Irrit. 2, H315; Eye Dam. 1, H318 OSHA HCS 2012: Skin Irrit. 2; Eye Dam. 1
Propane, 1,2-epoxy-	CAS:75-56-9 EC Number:200-879-2 EU Index:603-055-00-4	N/A		EU CLP: Community workplace exposure limit OSHA HCS 2012: Exposure limit(s)
Acetaldehyde	CAS:75-07-0 EC Number:200-836-8	N/A		EU CLP: Community workplace exposure limit OSHA HCS 2012: Exposure limit(s)

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

#### Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

#### Skin

- IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.

#### Eye

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately if symptoms occur.

#### Ingestion

- If accidentally swallowed, dilute by drinking large quantities of water. Immediately contact poison control centre or hospital emergency room for any other additional treatment directions.

### 4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5 - Firefighting Measures

## 5.1 Extinguishing media

**Suitable Extinguishing Media** ● Carbon dioxide, water, water fog, dry chemical, chemical foam.

**Unsuitable Extinguishing Media** ● No data available

## 5.2 Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards** ● Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

**Hazardous Combustion Products** ● No data available

## 5.3 Advice for firefighters

- Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**Personal Precautions** ● Take proper precautions to minimize exposure by using appropriate personal protective equipment. Avoid breathing mist, vapors, and/or spray. Avoid contact with skin, eyes or clothing. Clean up with soap and water.

**Emergency Procedures** ● Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

### 6.2 Environmental precautions

- Prevent spill from entering sewers, soil or waterways.

### 6.3 Methods and material for containment and cleaning up

**Containment/Clean-up Measures** ● Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

### 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

**Handling** ● Do not eat, drink or smoke when using this product. Avoid breathing mist, vapors, and/or spray.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage** ● Avoid freezing to avoid damage to packaging. Store in a cool, dry, well ventilated area. Keep container tightly closed.

### 7.3 Specific end use(s)

- No data available

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Propane, 1,2-epoxy-(75-56-9)	TWAs	2 ppm TWA	Not established	100 ppm TWA; 240 mg/m <sup>3</sup> TWA

Acetaldehyde (75-07-0)	TWAs	Not established	Not established	200 ppm TWA; 360 mg/m <sup>3</sup> TWA
	Ceilings	25 ppm Ceiling	Not established	Not established
Acetic acid, vinyl ester (108-05-4)	STELs	15 ppm STEL	Not established	Not established
	TWAs	10 ppm TWA	Not established	Not established
	Ceilings	Not established	4 ppm Ceiling (15 min); 15 mg/m <sup>3</sup> Ceiling (15 min)	Not established

## 8.2 Exposure controls

### Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Personal Protective Equipment

#### Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

#### Eye/Face

- Wear safety glasses.

#### Skin/Body

- Wear appropriate gloves.

### Environmental Exposure Controls

- Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

#### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

STEL = Short Term Exposure Limits are based on 15-minute exposures

## Section 9 - Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Green, viscous liquid with a slight latex odor.
Color	Green	Odor	Latex odor.
Odor Threshold	Data lacking		
General Properties			
Boiling Point	100 C(212 F)	Melting Point	0 C(32 F)
Decomposition Temperature	Data lacking	pH	7 to 10
Specific Gravity/Relative Density	1.03 to 1.08	Water Solubility	Appreciable 10 to 99 %
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		
Volatility			
Vapor Pressure	< 1 mmHg (torr)	Vapor Density	Data lacking
Evaporation Rate	< 1 n-Butyl Acetate = 1	VOC (Vol.)	< 5 %
Volatiles (Vol.)	< 40 %		
Flammability			
Flash Point	Data lacking	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking

Flammability (solid, gas)	Not relevant.		
<b>Environmental</b>			
Octanol/Water Partition coefficient	Data lacking		

## 9.2 Other Information

- No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

- Avoid freezing to avoid damage to packaging.

### 10.5 Incompatible materials

- Strong acids & alkaline materials.

### 10.6 Hazardous decomposition products

- Carbon dioxide and carbon monoxide. Toxic thermal decomposition products in case of fire.

## Section 11 - Toxicological Information

### 11.1 Information on toxicological effects

Components		
Acetic acid, vinyl ester (< 0.2%)	108-05-4	<p><b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 2900 mg/kg; Inhalation-Rat LC50 • 11400 mg/m<sup>3</sup> 4 Hour(s); Skin-Rabbit LD50 • 2335 mg/kg;</p> <p><b>Irritation:</b> Eye-Human • 22 ppm;</p> <p><b>Multi-dose Toxicity:</b> Inhalation-Rat TCLo • 600 ppm 6 Hour(s) 4 Week(s)-Intermittent; <i>Sense Organs and Special Senses:Olfaction:Other changes;</i></p> <p><b>Reproductive:</b> Ingestion/Oral-Rat TDLo • 91 g/kg (multigeneration); <i>Reproductive Effects:Maternal Effects:Other effects; Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus);</i></p> <p><b>Tumorigen / Carcinogen:</b> Ingestion/Oral-Rat TDLo • 100 g/kg 2 Year(s)-Continuous; <i>Tumorigenic:Carcinogenic by RTECS criteria; Endocrine:Thyroid tumors; Reproductive Effects:Tumorigenic Effects:Uterine tumors</i></p>
Proprietary (< 0.115%)	Proprietary	<p><b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 350 mg/kg; <i>Gastrointestinal:Other changes; Liver:Other changes; Kidney, Ureter, and Bladder:Other changes;</i></p> <p><b>Irritation:</b> Eye-Rabbit • 1 mg 30 Second(s)-Rinse • Severe irritation</p>

GHS Properties	Classification
Acute toxicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Aspiration Hazard	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking

<b>Carcinogenicity</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
<b>Germ Cell Mutagenicity</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
<b>Skin corrosion/Irritation</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
<b>Skin sensitization</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
<b>STOT-RE</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
<b>STOT-SE</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
<b>Toxicity for Reproduction</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
<b>Respiratory sensitization</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
<b>Serious eye damage/Irritation</b>	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking

## Potential Health Effects

### Inhalation

#### Acute (Immediate)

- Under normal conditions of use, no health effects are expected.

#### Chronic (Delayed)

- Under normal conditions of use, no health effects are expected.

### Skin

#### Acute (Immediate)

- Brief contact not anticipated or shown to cause irritation.

#### Chronic (Delayed)

- May cause slight irritation on prolonged or repeated contact.

### Eye

#### Acute (Immediate)

- May cause slight irritation.

#### Chronic (Delayed)

- No data available

### Ingestion

#### Acute (Immediate)

- May cause irritation.

#### Chronic (Delayed)

- No data available

### Carcinogenic Effects

- No carcinogenic effects are expected to be caused by this material during normal use. However this material does contain components that are classified by the International Agency for Research on Cancer (IARC) as Group 2B - possibly carcinogenic to humans and/or by the National Toxicology Program as having Evidence of Carcinogenicity.

<b>Carcinogenic Effects</b>			
	<b>CAS</b>	<b>IARC</b>	<b>NTP</b>
Acetaldehyde	75-07-0	Group 2B-Possible Carcinogen	Reasonably Anticipated to be Human Carcinogen
Propane, 1,2-epoxy-	75-56-9	Group 2B-Possible Carcinogen	Reasonably Anticipated to be Human Carcinogen
Acetic acid, vinyl ester	108-05-4	Group 2B-Possible Carcinogen	Not Listed

#### Key to abbreviations

LC = Lethal Concentration

LD = Lethal Dose

TD = Toxic Dose

## Section 12 - Ecological Information

### 12.1 Toxicity

- No information available for the product. Information on analogous products implies that this product will not be toxic to fish or plants.

### 12.2 Persistence and degradability

- Polymer is not biodegradable.

### 12.3 Bioaccumulative potential

- Material data lacking.

### 12.4 Mobility in Soil

- Material data lacking.

### 12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

### 12.6 Other adverse effects

- Material data lacking.

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

#### Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

#### Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

#### 14.6 Special precautions for user

- None specified.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Data lacking.

## Section 15 - Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**SARA Hazard Classifications** • None



Inventory		
Component	CAS	TSCA
Acetaldehyde	75-07-0	Yes
Acetic acid, vinyl ester	108-05-4	Yes
Proprietary	Proprietary	Yes
Proprietary	Proprietary	Yes
Proprietary	Proprietary	Yes
Proprietary	Proprietary	Yes
Propane, 1,2-epoxy-	75-56-9	Yes
Water	7732-18-5	Yes

## Europe

### Other

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Propane, 1,2-epoxy-	75-56-9	F+ T R:45-46-12-20/21/22-36/37/38 S:53-45
• Proprietary	Proprietary	Xn R:65 S:(2)-23-24-62
• Acetic acid, vinyl ester	108-05-4	F R:11 S:(2)-16-23-29-33
• Acetaldehyde	75-07-0	F+ Xn R:12-36/37-40 S:(2)-16-33-36/37
• Proprietary	Proprietary	C N R:34-50 S:(1/2)-26-36/37/39-45-61
• Proprietary	Proprietary	Not Listed
• Water	7732-18-5	Not Listed
• Proprietary	Proprietary	Not Listed

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations

• Propane, 1,2-epoxy-	75-56-9	E
• Proprietary	Proprietary	Not Listed
• Acetic acid, vinyl ester	108-05-4	D
• Acetaldehyde	75-07-0	Not Listed
• Proprietary	Proprietary	B
• Proprietary	Proprietary	Not Listed
• Water	7732-18-5	Not Listed
• Proprietary	Proprietary	Not Listed

## United States

### Labor

#### U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• Proprietary	Proprietary	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	2500 lb TQ
• Proprietary	Proprietary	Not Listed
• Proprietary	Proprietary	Not Listed
• Water	7732-18-5	Not Listed
• Proprietary	Proprietary	Not Listed

#### U.S. - OSHA - Specifically Regulated Chemicals

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**Environment**

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

• Propane, 1,2-epoxy-	75-56-9	100 lb final RQ; 45.4 kg final RQ
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	5000 lb final RQ; 2270 kg final RQ
• Acetaldehyde	75-07-0	1000 lb final RQ; 454 kg final RQ
• <i>Proprietary</i>	<i>Proprietary</i>	1000 lb final RQ; 454 kg final RQ
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities**

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs**

• Propane, 1,2-epoxy-	75-56-9	100 lb EPCRA RQ
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	5000 lb EPCRA RQ
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs**

• Propane, 1,2-epoxy-	75-56-9	10000 lb TPQ
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	1000 lb TPQ
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

• Propane, 1,2-epoxy-	75-56-9	0.1 % de minimis concentration
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	0.1 % de minimis concentration
• Acetaldehyde	75-07-0	0.1 % de minimis concentration
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing**

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - CWA (Clean Water Act) - Hazardous Substances**

• Propane, 1,2-epoxy-	75-56-9	
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	
• Acetaldehyde	75-07-0	
• <i>Proprietary</i>	<i>Proprietary</i>	
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - CWA (Clean Water Act) - Priority Pollutants**

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - CWA (Clean Water Act) - Reportable Quantities of Designated Hazardous Substances**

• Propane, 1,2-epoxy-	75-56-9	100 lb RQ
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	5000 lb RQ
• Acetaldehyde	75-07-0	1000 lb RQ
• <i>Proprietary</i>	<i>Proprietary</i>	1000 lb RQ
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - CWA (Clean Water Act) - Toxic Pollutants**

• Propane, 1,2-epoxy-	75-56-9	Not Listed
-----------------------	---------	------------

• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - EPA - Designated Generic Categories - Aqueous Ammonia**

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	NH3 Equiv. Wt. % = 48.59
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - RCRA (Resource Conservation & Recovery Act) - Constituents for Detection Monitoring**

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - RCRA (Resource Conservation & Recovery Act) - List for Hazardous Constituents**

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - RCRA (Resource Conservation & Recovery Act) - TSD Facilities Ground Water Monitoring**

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Acutely Toxic Wastes & Other Hazardous Characteristics**

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed

• Acetaldehyde	75-07-0	waste number U001 (Ignitable waste)
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

## United States - California

### Environment

#### U.S. - California - Proposition 65 - Carcinogens List

• Propane, 1,2-epoxy-	75-56-9	carcinogen, initial date 10/1/88
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	carcinogen, initial date 4/1/88
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

#### U.S. - California - Proposition 65 - Developmental Toxicity

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

#### U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

#### U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	90 µg/day NSRL (inhalation)
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

#### U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	Not Listed

• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

• Propane, 1,2-epoxy-	75-56-9	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Acetic acid, vinyl ester	108-05-4	Not Listed
• Acetaldehyde	75-07-0	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed
• Water	7732-18-5	Not Listed
• <i>Proprietary</i>	<i>Proprietary</i>	Not Listed

**15.2 Chemical Safety Assessment**

- No Chemical Safety Assessment has been carried out.

**15.3 Other Information**

- **WARNING:** This product contains a chemical known to the State of California to cause cancer.

**Section 16 - Other Information****Relevant Phrases (code & full text)**

- H302 - Harmful if swallowed
- H304 - May be fatal if swallowed and enters airways
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation
- H318 - Causes serious eye damage
- H332 - Harmful if inhaled
- H335 - May cause respiratory irritation
- H351 - Suspected of causing cancer.
- H400 - Very toxic to aquatic life
- R11 - Highly flammable.
- R22 - Harmful if swallowed.
- R34 - Causes burns.
- R37 - Irritating to respiratory system.
- R38 - Irritating to skin.
- R40 - Limited evidence of a carcinogenic effect.
- R41 - Risk of serious damage to eyes.
- R50 - Very toxic to aquatic organisms.
- R65 - Harmful: may cause lung damage if swallowed.

**Last Revision Date**

- 10/February/2015

**Preparation Date**

- 10/February/2015

**Disclaimer/Statement of Liability**

- The information and recommendations set forth herein are taken from sources believed to be accurate as to the data hereof; however, Saint-Gobain Performance Plastics makes no warranty with respect to the accuracy of the information or the suitability of the recommendations and assures no liability to any user thereof.

**Key to abbreviations**

NDA = No data available