


## ALPHASORB<sup>®</sup> ANCHORAGE CEILING CLOUDS TECHNICAL DATA SHEET

### TECHNICAL CHARACTERISTICS



|                     |                                      |
|---------------------|--------------------------------------|
| <b>SIZE:</b>        | Up to 4' x 10'                       |
| <b>THICKNESS:</b>   | 1", 2" (Standard)                    |
| <b>DENSITY:</b>     | 6-7 lb. / cu. ft. fiberglass         |
| <b>FINISH:</b>      | Guilford Anchorage 2335              |
| <b>EDGE DETAIL:</b> | Square, Bevel<br>Natural or Hardened |
| <b>MOUNTING:</b>    | Rotofast Cloud<br>Mount Anchor       |
| <b>FIRE RATING:</b> | Class 1 or A per ASTM E84            |
| <b>NRC:</b>         | 0.85 (1"), 1.10 (2")                 |

### DESCRIPTION

Our AlphaSorb<sup>®</sup> Anchorage Ceiling Cloud offers a crepe style weave in many vibrant colors to treat your space for aesthetics and acoustics. These clouds are suspended from the ceiling to absorb echo and reverberation to improve the sound quality.

Available in a wide variety of sizes and colors, Anchorage cloud panels allow you to create an effective sound control treatment that is distinctly appropriate for your environment. These hanging clouds come in standard or custom sizes, up to 4' x 10' in 1" or 2" thicknesses.

| SOUND ABSORPTION |        |        |        |         |         |         |      |
|------------------|--------|--------|--------|---------|---------|---------|------|
| Thickness        | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | 4000 Hz | NRC  |
| 1"               | 0.08   | 0.32   | 0.84   | 1.12    | 1.15    | 1.07    | 0.85 |
| 2"               | 0.47   | 0.85   | 1.24   | 1.19    | 1.20    | 1.11    | 1.10 |

