

3017 Vernon Road Henrico, VA 23228

Toll Free: 800-782-5742









GUILFORD OF MAINE ANCHORAGE FABRIC TECHNICAL DATA SHEET



DESCRIPTION

Our Guilford of Maine Anchorage Acoustic Fabric is used to wrap an acoustical substrate or other absorptive material. The Anchorage series offers a tight crepe weave of vibrant, saturated colors for expressive and vivacious hues.

The designer fabric's texture provides a clean and beautiful finish for your project.

FEATURES

- Acoustical panel fabric
- Cleanable with water based cleaning agents

TECHNICAL CHARACTERISTICS

SIZE: 66" wide x 36" yard

35% post-consumer / 65% pre-MATERIALS:

consumer recycled polyester

15.0 +/- 1.0 oz./ linear yard Weight:

Repeat: None

Fire Rating: Class 1 or A per ASTM E84

Breaking Strength: 275 lbf min. warp and fill

(ASTM D5034)

Tear: 35 lbf min. warp fill

(ASTM D2261)

Colorfastness to light (AATCC 16 Option 3):

Grade 4 min. at 40 hours

Colorfastness to crocking (AATCC 8): Grade 4 min. dry &

Grade 3 min. wet

Colors may vary between dye lots.

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.



